

In the Claims:

Amend the claims as follows:

5

1. (Currently amended) A method ~~Method~~ in a mobile telecommunication network for obtaining location and time information about users, the telecommunication network comprising one or more user terminals, a service entity, a time-stamp server and an operator, the method comprising the following steps:

10

a) creating a digital image content of the user disposed at a location at a certain time,

15

b) storing the digital image content in a user terminal disposed at the location at the certain time,

c) retrieving location data of the location from the user terminal,

20

d) the user creating a digital signature of the user by digitally signing the location data of the location in the user terminal,

e) distributing ~~of~~ a signed combination of the digital ~~content~~ image and the signed location data to a ~~trusted~~ third party for time-stamping, and

25

f) the ~~trusted~~ third-party time-stamping the signed combination with a time stamp to prove that the user was present at the location at the time of the time stamp.

30

2. (Previously amended) The method according to claim 1 wherein the digital signing is performed after step c), and whereafter the combination of signed content and location data is time-stamped.

35

3. (Currently amended) The method according to claim 1 wherein the digital image content is created in step a) is a text file or a voice message.

4. (Currently amended) The method according to claim 1 wherein the digital ~~content~~ image is created in step a) by taking a picture with a digital camera.

5

5. (Previously amended) The method of claim 4 wherein the digital camera is linked with a mobile device that directly receives the picture.

10

6. (Previously amended) The method of claim 4 wherein the digital camera is a separate network element and the picture taken by the digital camera is downloaded to a work-station and thereafter sent to a mobile station.

15

7. (Previously amended) The method according to claim 1 wherein the digital signature is performed in step c) with a user's private key stored in the user terminal.

20

8. (Previously amended) The method according to claim 7 wherein a PIN code is entered by the user to access the private key.

25

9. (Previously amended) The method according to claim 1 wherein location data is retrieved from the user terminal during a signature process as an attribute, which is separately signed.

30

10. (Previously amended) The method according to claim 1 wherein the location data is translated to understandable geographical data before the location data are signed.

35

11. (Previously amended) The method according to claim 1 wherein the signed combination is distributed to a work-station for time-stamping.

12. (Previously amended) The method according to claim 1 wherein the location data is retrieved from the user terminal over-the-air through an application residing in a work-station.